

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 08/08/2012
MSDS No: CND-N-121
Date-Revised: 01/15/2014
Revision No: 2

Creative Nail Design Air Dry

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Creative Nail Design Air Dry
GENERAL USE: Nail Care
PRODUCT DESCRIPTION: Creative Nail Design Air Dry
PRODUCT FORMULATION NAME: Creative Nail Design Air Dry
CHEMICAL FAMILY: Solvent Polymer Blend
GENERIC NAME: Air Dry - Fast-set Top Coat
ACTIVE INGREDIENT(S): Acetic Acid Ethyl Ester

MANUFACTURER

Creative Nail Design
1125 Joshua Way
Vista, CA 92081
E-Mail: <http://www.cnd.com>
Product Stewardship: 1-760-599-2900
Service Number: 1-800-833-NAIL

DISTRIBUTOR

Creative Nail Design
Colomer USA, Inc.
1125 Joshua Way
Vista, CA 92081
Emergency Contact: Deborah Waite
E-Mail: deborah.waite@cnd.com
Product Stewardship: 1-760-599-2900

24 HR. EMERGENCY TELEPHONE NUMBERS

CANUTEC (Canadian Transportation) :(613) 996 - 6666
CHEMTREC (US Transportation) :(800) 424 - 9300

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Physical

Flammable Liquids, Category 1

GHS LABEL



Flame

DANGER

H224: Extremely flammable liquid and vapour.

Precautionary statement(s)

Prevention:

- P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
- P233: Keep container tightly closed.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

- P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Storage:

- P403+P233: Store in a well-ventilated place. Keep container tightly closed.

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 08/08/2012

MSDS No: CND-N-121

Date-Revised: 01/15/2014

Revision No: 2

Creative Nail Design Air Dry

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Liquid

IMMEDIATE CONCERNS: Highly Flammable

POTENTIAL HEALTH EFFECTS

EYES: Mildly to moderately irritating

SKIN: Mild skin irritant

SKIN ABSORPTION: May cause dermatitis by defatting the skin from prolonged contact.

INGESTION: Causes gastro-intestinal irritation, nausea, vomiting and diarrhea.

INHALATION:

- Prolonged inhalation may be harmful
- Can cause drowsiness, headaches, nausea, vomiting and narcosis
- May cause lung irritation

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Overexposure in eyes may cause redness, itching and watering

SKIN: Symptoms of skin overexposure in some sensitive individuals may include redness, itching and irritation of affected area

SKIN ABSORPTION: None known

INGESTION: May cause irritation of the digestive track

INHALATION: May cause drowsiness, dizziness, headaches and nausea

ACUTE TOXICITY: Eyes: Mild to moderate irritation to eyes near affected area

Skin: Mild to moderate irritation to skin near affected area

Inhalation: High concentrations of vapors can cause drowsiness, dizziness, headaches and nausea

CHRONIC EFFECTS: None known

CARCINOGENICITY: This product contains Isopropyl Alcohol, which is classified as a Group 3 carcinogen (not classifiable as a human carcinogen) by the IARC

MUTAGENICITY: This product is not reported to produce mutagenic effects in humans

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS: This product is not reported to cause reproductive effects in humans

TERATOGENIC EFFECTS: This product is not reported to produce Teratogenic effects in humans

MEDICAL CONDITIONS AGGRAVATED: None known

ROUTES OF ENTRY: Eye contact , Inhalation

TARGET ORGAN STATEMENT: Eyes, skin and respiratory system

CANCER STATEMENT: Not classified as a human carcinogen by OSHA, NTP, IARC or EPA. Classified as a Group 3 carcinogen by IARC.

WARNING CAUTION LABELS: Warning: Extremely flammable! Keep away from heat or flame. Avoid inhalation. Store in a cool place. Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 08/08/2012

MSDS No: CND-N-121

Date-Revised: 01/15/2014

Revision No: 2

Creative Nail Design Air Dry

Chemical Name	Vol. %	CAS	EINECS
Acetic Acid Ethyl Ester	30 - 45	141-78-6	205-500-4
N-butyl Acetate	15 - 30	123-86-4	- -
1-butanol	1 - 15	71-36-3	200-751-6
N-propyl Acetate	1 - 15	109-60-4	- -
Ethanol	1 - 15	64-17-5	200-578-6
2-propanol	0 - 6	67-63-0	200-661-0

COMMENTS: Risk Phrases: Acetic Acid Ethyl Ester: R11- Highly Flammable, R36 - Irritating to eyes, R66 - Repeated exposure may cause skin dryness or cracking, R67 - Vapors may cause drowsiness and dizziness **Risk Phrases: N-butyl Acetate:** R10 - Flammable, R66 - Repeated exposure may cause skin dryness or cracking, R67 - Vapors may cause drowsiness and dizziness **Risk Phrases: 1 butanol:** R10 - Flammable, R22 - Harmful if swallowed, R37 - Irritating to respiratory system, R38 - Irritating to skin, R67 - Vapors may cause drowsiness and dizziness **Risk Phrases: N-propyl Acetate:** R11 - Highly Flammable, R36 - Irritating to eyes, R66 - Repeated exposure may cause skin dryness or cracking, R67 - Vapors may cause drowsiness and dizziness **Risk Phrases: Ethanol:** R11 - Highly Flammable **Risk Phrases: 2-propanol:** H335 - May cause respiratory irritation, H225 - Highly Flammable, H320 - Causes eye Irritation, H315 - Causes skin Irritation

4. FIRST AID MEASURES

EYES: Flush eye with water for 15 minutes. Get medical attention.

SKIN: Wash with soap and water

INGESTION: Do not induce vomiting. Drink plenty of liquids and seek medical attention immediately

INHALATION: If symptoms are experienced, move to fresh air and obtain medical attention if breathing difficulty persists.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: < 4°C (24°F)

FLAMMABLE LIMITS: Undefined

AUTOIGNITION TEMPERATURE: NDA

FLAMMABLE CLASS: Category 1 Highly Flammable Liquid and Vapor

EXTINGUISHING MEDIA: Dry chemical, Water, Water fog, Alcohol foam

HAZARDOUS COMBUSTION PRODUCTS: Carbon Oxides

EXPLOSION HAZARDS: Highly Flammable Liquid

FIRE FIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

FIRE FIGHTING EQUIPMENT: Use water spray to cool equipment and to disperse vapors

FIRE EXPLOSION: Flammable vapors may travel along floor to be ignited by distant ignition sources. Containers exposed to fire may develop sufficient internal pressure to rupture with explosive force

SENSITIVE TO STATIC DISCHARGE: Flammable Vapors

SENSITIVITY TO IMPACT: NA = Not Applicable

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 08/08/2012

MSDS No: CND-N-121

Date-Revised: 01/15/2014

Revision No: 2

Creative Nail Design Air Dry

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Clean-up with mop or sponge

LARGE SPILL: NA = Not Applicable

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Dispose of in an approved sewer/drain system, do not pour on to ground or in to creeks, streams or other bodies of water

LAND SPILL: Do not pour on to ground

AIR SPILL: High Flammable

GENERAL PROCEDURES: Clean-up with normal janitorial supplies

RELEASE NOTES: Flammable Liquid

SPECIAL PROTECTIVE EQUIPMENT: P280: Wear protective gloves/protective clothing/eye protection/face protection.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Keep container tightly closed, cool, dry, and away from sources of ignition. No Smoking

HANDLING: Avoid contact with eyes

Do not eat, drink or smoke while handling this material

Wear appropriate hand and eye protection

STORAGE: Store in a cool and dry area away from any ignition source

STORAGE TEMPERATURE: Do not store at temperature over 120 F

LOADING TEMPERATURE: Room Temperature

LOADING/UNLOADING VISCOSITY: NA = Not Applicable

STORAGE PRESSURE: NA = Not Applicable

ELECTROSTATIC ACCUMULATION HAZARD: High Flammable Vapors

COMMENTS: Store away from U.V. and direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient as maximum occupational exposure limit will not be reached under normal conditions of use

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Avoid contact with eyes

SKIN: S37: Wear suitable gloves

RESPIRATORY: Not normally required. If situation requires a respirator the respirator must meet OSHA's 29 CFR 1910.134 for Organic's

PROTECTIVE CLOTHING: No special clothing required

WORK HYGIENIC PRACTICES: Wash with soap and water after use

OTHER USE PRECAUTIONS: Never eat, drink or smoke in work area

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 08/08/2012

MSDS No: CND-N-121

Date-Revised: 01/15/2014

Revision No: 2

Creative Nail Design Air Dry

COMMENTS: Exposure Levels: OSHA - PEL ACGIH

Ethyl Acetate (141-78-6) 400 ppm 400 ppm

Butyl Acetate (123-86-4) 150 ppm 150 ppm

N-Butyl Alcohol (71-36-3) 100 ppm 20 ppm

Propyl Acetate (109-60-4) 200 ppm 200 ppm

Ethyl Alcohol (64-17-5) 1000 ppm 1000 ppm

Isopropyl Alcohol (67-63-0) 400 ppm 200 ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Sweet ester

APPEARANCE: Transparent viscous liquid

COLOR: Clear

pH: NA = Not Applicable

PERCENT VOLATILE: 3.36 lb/gl

VAPOR DENSITY: Heaver than air

FLASHPOINT AND METHOD: < 4°C (24°F)

SOLUBILITY IN WATER: Insoluble

SPECIFIC GRAVITY: 0.916

(VOC): <= to 3.36 lb/gl

OXIDIZING PROPERTIES: NA = Not Applicable

10. STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No

STABILITY: Stable under recommended storage conditions, affected by U.V., stote away from direct sunlight

POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Open flames, Sunlight, Heat above 120 F and Ignition sources.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON, NITROGEN AND SULFUR OXIDES

INCOMPATIBLE MATERIALS: Strong Oxidizing materials

11. TOXICOLOGICAL INFORMATION

ACUTE

INHALATION LC₅₀: Vapor from solvents may cause: ill effects to the renal system; central nervous system; irritation to the respiratory tracts and other various mucosal membranes

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 08/08/2012

MSDS No: CND-N-121

Date-Revised: 01/15/2014

Revision No: 2

Creative Nail Design Air Dry

EYE EFFECTS: Eye irritation

SKIN EFFECTS: Organic solvents may lead to removal of lipid soluble elements of the skin leading to non-allergic dermatitis upon repeated contact

CARCINOGENICITY

IARC: This product contains Isopropyl Alcohol, Which is classified as a Group 3 carcinogen (Not classifiable as a human carcinogen)

NTP: Not listed as a carcinogen

OSHA: Not listed as a carcinogen

TERATOGENIC EFFECTS: This product is not reported to cause teratogenic effects in humans

MUTAGENICITY: This product is not reported to produce mutagenic effects in humans

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: This product will slowly degrade over time into various compounds

AQUATIC TOXICITY (ACUTE): This product should not be allowed to enter drains or water courses

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with EU Regulations, US Federal, State or Local Regulations

FOR LARGE SPILLS: NA = Not Applicable

PRODUCT DISPOSAL: Dispose in accordance with Federal, State and Local regulations

EMPTY CONTAINER: No special requirements but recycle container if possible

RCRA/EPA WASTE INFORMATION: Flammable

RCRA HAZARD CLASS: D001

EUROPEAN WASTE CATALOGUE: Flammable Liquid

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Paint / Consumer Commodity

TECHNICAL NAME: Nitrocellulose Lacquer

PRIMARY HAZARD CLASS/DIVISION: 3

UN/NA NUMBER: 1263

PACKING GROUP: II

NAERG: 128

BULK FREIGHT CLASS: Flammable liquid

PLACARDS: Flammable Liquid

LABEL: Limited Quantity

ROAD AND RAIL (ADR/RID)

PROPER SHIPPING NAME: Limited Quantity

UN NUMBER: 1263

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 08/08/2012

MSDS No: CND-N-121

Date-Revised: 01/15/2014

Revision No: 2

Creative Nail Design Air Dry**HAZARD CLASS:** 3**CLASSIFICATION CODE:** 3**PACKING GROUP:** II**LIMITED QUANTITY:** <1.0L**LABEL:** Limited Quantities**ROAD AND RAIL (UK only) (CDG):****HAZARD CLASS:** Flammable Liquid**SPECIAL PROVISIONS:** Limited Quantity**AIR (ICAO/IATA)****SHIPPING NAME:** Paint / Consumer Commodity**UN/NA NUMBER:** 1263**PRIMARY HAZARD CLASS/DIVISION:** 3**PACKING GROUP:** II**ERG:** 128**SPECIAL PROVISIONS:** Limited Quantity**PLACARDS:** Flammable Liquid**LABEL:** Limited Quantities**VESSEL (IMO/IMDG)****SHIPPING NAME:** Paint / Consumer Commodity**UN/NA NUMBER:** 1263**PRIMARY HAZARD CLASS/DIVISION:** 3**PACKING GROUP:** II**LIMITED QUANTITY:** <1.0L**EmS:** 128**PLACARDS:** Flammable Liquid**LABEL:** Limited Quantities**CANADA TRANSPORT OF DANGEROUS GOODS****SHIPPING NAME:** Paint / Consumer Commodity**UN/NA NUMBER:** 1263**PRIMARY HAZARD CLASS/DIVISION:** 3**PACKING GROUP:** II**TERTIARY HAZARD CLASS/DIVISION:** 3**CANUTEC GUIDE:** 128**PLACARDS:** Flammable Liquid**LABEL:** Limited Quantities**15. REGULATORY INFORMATION****UNITED STATES**

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 08/08/2012

MSDS No: CND-N-121

Date-Revised: 01/15/2014

Revision No: 2

Creative Nail Design Air Dry**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****311/312 HAZARD CATEGORIES:** No chemical in this material is subject to reporting**FIRE:** Yes **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No**313 REPORTABLE INGREDIENTS:** No chemical in this material is subject to reporting**302/304 EMERGENCY PLANNING****EMERGENCY PLAN:** Butyl Acetate, Ethyl Acetate**CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)****CERCLA REGULATORY:** Butyl Acetate**CERCLA RQ:** 5000 lbs**TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA REGULATORY:** Product contains a material listed on Toxic Substance Control Act**REGULATIONS****STATE REGULATIONS:** Flammable Liquid**LOCAL REGULATIONS:** Flammable Liquid**CALIFORNIA PROPOSITION 65:** NA = Not Applicable**RCRA STATUS:** D001**OSHA HAZARD COMM. RULE:** Flammable Liquid**NATIONAL RESPONSE CENTER:** Flammable**CARCINOGEN:** Not listed as a human carcinogen**USDA (U.S. DEPARTMENT OF AGRICULTURE):** NA = Not Applicable**FIFRA (FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT):** NA = Not Applicable**FDA (FOOD AND DRUG ADMINISTRATION):** This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)**CANADA****WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):** Flammable Liquid**WHMIS CLASS:** Class B2 Flammable Liquid**DOMESTIC SUBSTANCE LIST (INVENTORY):** Components are present on the Domestic Substance List**MEXICO** Flammable Liquid**COMMENTS** European Union and Australia Requirements:

Ethyl Acetate: Flammable

Butyl Acetate; Flammable

Isopropanol: Flammable

Hazchem Code: 3{Y}E Poison Schedule Number:S5

16. OTHER INFORMATION**REASON FOR ISSUE:** New Product

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 08/08/2012

MSDS No: CND-N-121

Date-Revised: 01/15/2014

Revision No: 2

Creative Nail Design Air Dry

APPROVED BY: The R & D Department


PREPARED BY: The Safety Department

REVISION SUMMARY: Revision #: 2. This MSDS replaces the January 15, 2014 MSDS.

HMIS RATING

HEALTH:	1
FLAMMABILITY:	3
PHYSICAL HAZARD:	0
PERSONAL PROTECTION:	

NFPA CODES



MANUFACTURER SUPPLEMENTAL NOTES: Read all warnings and directions on packaging carefully before use

DATA SOURCES: Keep out of reach of children. For external use only

ADDITIONAL MSDS INFORMATION: CAUTION: Avoid contact with eyes and skin. If product comes into contact with eyes, immediately flush with water. Wear suitable gloves. FOR PROFESSIONAL USE ONLY

GENERAL STATEMENTS: All information appearing herein is based upon data obtained from the manufactures and/or recognized techical sources. While the information is believed to be accurate Colomer USA, Inc. makes no repretation as to it's accuracy or sufficiency. Judgment as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although resonable care has been taken in the preparation of such information, Colomer USA, Inc. extends no warranties, makes no representations or assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purpose or for consequences of its use.

MANUFACTURER DISCLAIMER: Flammable Liquid, avoid contact with eyes