

SAFETY DATA SHEET

In Accordance with GHS Rev05(2013): U.S. OSHA Standard 29 CFR 1910.1200.

REVISION DATE: September 14, 2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CND Brisa Gel Paints

Bulk #: CND-N-070

Product Form: Mixture

Recommendations on use: Cosmetic Preparation.

Restrictions on use: This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed.

Address:

Revlon Research Center
2121 Route 27
Edison, NJ 08818
Telephone #: (732) 287-1400

CND, Inc
9560 Towne Centre Drive Suite 200
San Diego, California 92121
Telephone #: 1-800-833-NAIL

Emergency Telephone:

Medical Emergencies: 303-739-1110
CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

2. HAZARDS IDENTIFICATION

GHS Classification: Flammable Liquid, Category 4
Eye Irritation (Category 2B)
Acute Toxicity –Oral (Category 4)

Pictogram: Not Applicable

Signal Word: Warning

Hazard Statement(s):
H227 Combustible Liquid
H302 Harmful if swallowed
H320 Causes eye irritation

Precautionary Statement(s):
P210 Keep away from flames and hot surfaces. No smoking
P264 Wash hands thoroughly after handling
P270 Do not eat, drink, or smoke when using this product
P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance to local/ regional/ national/ international regulations.

Potential Health Effects:

Eye Contact: Irritating to eyes.
Skin Contact: May be irritating to skin in some sensitive individuals, especially after prolonged and/or prolonged contact.
Inhalation: Unlikely under normal conditions of use and handling; however inhalation of vapors in excess of the levels listed in section 8 can cause central nervous system depression (e.g. drowsiness, dizziness, headaches, nausea).
Ingestion: If swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervous system depression.

Unknown Toxicity

0% of mixture consists of ingredient(s) of unknown toxicity

Hazard Classification:

OSHA (USA): Irritant.
HMIS Rating: Health: 2. Flammability: 2. Reactivity: 0.
NFPA Rating: Health: 2. Flammability: 2. Reactivity: 0.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #:	%:*
Urethane Methacrylate Oligomers	NA	75 – 90
Methacrylate Monomers	NA	1 – 10
Titanium Dioxide (CI 77891)	13463-67-7	1 – 5
Silica Dimethicone Silylate	112945-52-5	1 – 5

***Note: Any value shown as a range is due to batch-to-batch variation**

4. FIRST AID MEASURES

Eye Contact: Splashes are unlikely; however, if product gets in eye flush eyes immediately with large amounts of lukewarm water for 15 minutes. Seek medical attention if redness, swelling, itching, burning or visual disturbances occur.

Skin Contact: If irritation develops rinse thoroughly with lukewarm water, followed by thoroughly washing of effected area with soap and water. Seek medical attention if redness, swelling, itching, or burning occurs.

Inhalation: Remove victim to fresh air

Ingestion: Do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact Rocky Mountain Poison Control Center at 303-623-5716 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.

Notes to Physician: Treat symptomatically.

Most important symptoms/effects, both acute and delayed: Eye irritation.

5. FIRE AND IGNITION INFORMATION

Burn Rate: Not determined.

Extinguishing Media: Water, ABC all purpose extinguisher or CO₂ extinguisher.

Special Protective Actions for Fire-Fighters: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides.

First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product..

Specific Hazards Arising from the Chemical: Not Applicable.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid inhalation of dust and vapors. Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.

Methods for Cleaning Up: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills \geq 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

Environmental Precautions: No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.

7. HANDLING AND STORAGE

Work & Hygiene Practices: Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.

Handling: Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care.

Storage: Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

There are no exposure limits identified for this product. Exposure limits for the individual ingredients are listed below:

Occupational Exposure Limits (OEL)

CAS No.	Components	ppm	Category	Origin
112945-52-5	Silica Dimethicone Silylate	5	TWA	OSHA PEL (Total Dust)
		10	TWA	ACGIH TLV (Total Dust)
13463-67-7	Titanium Dioxide	15	TWA	OSHA PEL
		10	TWA	ACGIH TLV
		5000		NIOSH IDLH

IDLH: Immediately Dangerous to Life or Health concentration

PEL: Permissible Exposure Limit

OEL: Occupational Exposure Limit

STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TWA: Time Weighted Average

US ACGIH: United States American Conference of Governmental Industrial Hygienists

US OSHA: United States Occupational Safety and Health Administration

NIOSH: National Institute for Occupational Safety and Health
REL: Recommended Exposure Limit

ENGINEERING CONTROLS

When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

PERSONAL PROTECTIVE EQUIPMENT

- Respiratory protection:** No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.
- Hand Protection:** If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada or the E.C. member states.
- Eye Protection:** Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166..
- Skin and Body Protection:** No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.
- Other protective equipment:** None required under normal use. Skin protection required in production areas. Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White liquid
Odor:	Slight ester
Odor Threshold:	Not Known
pH:	7.8 – 8.4
Melting Point/Freezing Point:	Not Known
Boiling Point/ Boiling Range:	Not Known
Flash Point:	> 71 ⁰ C (160 ⁰ F).
Flash Point Method:	Closed Cup (ASTM D 6450-05)
% Volatile:	Not Known
Evaporation Rate:	> 150 ⁰ C (302 ⁰ F)
Flammability Classification:	Not Classified
Explosive Limits:	Not Known
Vapor Pressure:	Not Known
Vapor Density:	> 1.0
Specific Gravity/Rel. Density:	> 1.2
Solubility in Water:	Slightly soluble
Partition Coeff. (n-octanol//water):	Not Known

Auto-ignition temperature: Not Known
Decomposition temperature: Not Known
Viscosity: Low viscosity gel

10. STABILITY AND REACTIVITY

Reactivity: No dangerous reaction known under conditions of normal use.
Stability: Stable under ambient conditions when stored properly (see Section 7, Storage and Handling).
Conditions to Avoid: None Known.
Incompatible With: This product is incompatible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide).
Hazardous Decomposition Products: If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and carbon oxide gases (e.g., CO, CO₂).
Hazardous Polymerization: May occur, if exposed to extremely high temperatures.

11. TOXICOLOGICAL INFORMATION

This formula was reviewed by the Global Product Safety and Regulatory Department of Revlon and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions.

Eye Irritation: Irritating to eyes
Skin Corrosion/Irritation: May be irritating to skin in some sensitive individuals, especially after prolonged and/or prolonged contact
Respiratory or Skin Sensitization: May be irritating to skin in some sensitive individuals, especially after prolonged and/or prolonged contact
Acute toxicity: If swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervous system depression
Germ Cell Mutagenicity: Does not contain any ingredients known to be mutagenic according to OSHA
Carcinogenicity: Does not contain any ingredients known to be carcinogenic according to OSHA, NTP, and IARC
Reproductive toxicity: Not expected to cause reproductive toxicity
STOT – Single Exposure: Not expected to cause organ toxicity
STOT – Repeat Exposure: Not expected to cause organ toxicity
Aspiration Hazard: Not an aspiration hazard

12. ECOLOGICAL INFORMATION

This product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Global Product Safety and Regulatory Department of Revlon and determined to have an acceptable environmental profile.

Aquatic Toxicity:	Not expected to cause aquatic toxicity
Persistence and Degradability:	Not Available
Bioaccumulative Potential:	Not Available
Mobility in Soil:	Not Available
Other Adverse Effects:	Not expected to cause adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal: Consult applicable Local and State Regulations for disposal of non-hazardous liquids or solids. Do not dispose down sewer systems. Disposal in a properly regulated landfill is acceptable.

14. TRANSPORT INFORMATION

FOR NON-BULK (FINISHED GOODS/RETAIL) SHIPMENT

Ground (DOT): Not hazardous for transport.
Vessel (IMDG): Not hazardous for transport.
Air (IATA): Not hazardous for transport.

FOR OTHER SHIPMENT

DOT (Department of Transportation): Not hazardous for transport.
UN Number: Non-regulated
UN Proper Shipping Name: Non-regulated
UN Hazard Class: Non-regulated
UN Packing Group: Non-regulated

IMDG (International Maritime Organization's Dangerous Goods Code):
Use UN classification listed above.

IATA (International Air Transport Association):
Use UN classification listed above.

Not Regulated by DOT if shipped in containers less than 119 gallons.
Regulated as NA1993, Combustible liquid, n.o.s. (Silicones mixture), PG III, if shipped in containers greater than 119 gallons.

15. REGULATORY INFORMATION

International Inventories

TSCA (Toxic Substances Control Act)	The product is exempt
DSL (Domestic Substance List)	The following are listed: Urethane Methacrylate Oligomers , Methacrylate Monomers, Silica Dimethicone Silylate, Titanium Dioxide

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any chemicals that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

U.S. State Regulations

California Proposition 65

This product does not contain any chemicals that are classified under Proposition 65.

U.S. State Right-To-Know Regulations

The following ingredients are present in the finished product and listed on the following inventories and state RTK lists:

Ingredient	CAS #:	TSCA 8(b)	MA RTK	NJ RTK	PA RTK
Urethane Methacrylate Oligomers	NA	Yes			
Methacrylate Monomers	NA	Yes			
Titanium Dioxide	13463-67-7	Yes	Yes	Yes	Yes
Silica Dimethicone Silylate	112945-52-5	Yes	Yes	Yes	Yes

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION

Last Revision: 1/15/2004
Prepared by: Revlon Research Center

Manufacture Supplemental Notes:

Read all warnings and directions on packaging carefully before use.

Additional MSDS Information:

For external use only. Avoid eye contact.

Disclaimer:

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Revlon, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

Comments:

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.