# REVLON

# SAFETY DATA SHEET

In Accordance with GHS Rev05(2013): U.S. OSHA Standard 29 CFR 1910.1200.

## **REVISION DATE: February 16, 2016**

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name: CND Creative Play Base Coat Bulk #: 466554 Product Form: Mixture

Recommendations on use: Cosmetic Preparation.

**Restrictions on use:** This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed.

Address: Revlon Research Center 2121 Route 27 Edison, NJ 08818 Telephone #: (732) 287-1400

#### **Emergency Telephone:**

Medical Emergencies: 303-739-1110 CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

	2. HAZARDS IDENTIFICATION
GHS Classification:	Flammable Liquid (Category 2) Acute Toxicity, Oral (Category 4) Eye Irritation (Category 2B) Specific Target Organ, Single Exposure, Category 3
Pictogram:	
Signal Word:	Danger
Hazard Statement(s):	
H225	Extremely flammable liquid and vapor
H302	Harmful if swallowed
H318	Causes eye irritation
H336	May cause drowsiness or dizziness
Precautionary Statement(s):	
P210	Keep away from flames and hot surfaces. No smoking.
P233	Keep container tightly closed.
P241	Use explosion-proof electrical, ventilating, lighting, and all material handling equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 P270	Wash skin thoroughly after handling.
P270 P271	Do not eat, drink or smoke when using this product. Use only outdoors ir in a well-ventilated area.
P280	Wear protective gloves.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do so. Continue rinsing.
P371 + P378	In case of fire: Use appropriate media for extinction.
P403	Store in a well-ventilated place.
	·

P501	Dispose of contents/container in accordance with local, regional, national, and/or international regulations.
Potential Health Effects:	
Eye Contact:	May cause eye irritation. Avoid eye contact. Direct contact with this product may cause burning, tearing, redness, and swelling.
Skin Contact:	Not irritating under normal use. Do not use on broken or damaged skin. Use as directed.
Inhalation:	Fumes/vapors may be irritating to the nose and throat. Avoid inhalation of fumes and/or vapors. Use in a well ventilated area. Breathing high concentrations of fumes or vapors may cause nausea, headache, vomiting, and dizziness.
Ingestion:	Moderately toxic by ingestion. Avoid ingestion.
<b></b>	

<u>Unknown Toxicity</u> 0% of mixture consists of ingredient(s) of unknown toxicity

Hazard Classification:	
OSHA (USA):	Flammable liquid.
HMIS Rating:	Health: 2. Flammability: 3. Reactivity: 0.
NFPA Rating:	Health: 2. Flammability: 3. Reactivity: 0.

3. COMPOSITION/INFORMATION ON INGREDIENTS		
HAZARDOUS INGREDIENTS:	CAS #:	%:*
Butyl Acetate	123-86-4	35 - 45
Ethyl Acetate	141-78-6	15 - 25
Nitrocellulose	9004-70-0	10 - 20
Isopropyl Alcohol	67-63-0	1 - 10
Talc	14807-96-6	1 – 10

. \_\_\_\_

# \*Note: Any value shown as a range is due to batch-to-batch variation

	4. FIRST AID MEASURES
Eye Contact:	Flush eyes immediately with large amounts of water for 15 minutes. Seek medical attention if redness, swelling, itching, burning or visual disturbances occur.
Skin Contact:	If irritation develops wash thoroughly with soap and water. Seek medical attention if redness, swelling, itching, or burning occurs.
Inhalation:	If cough, shortness of breath or other breathing problems occur, move to fresh air. Seek medical attention if symptoms persist. If necessary, restore normal breathing through standard first aid measures.
Ingestion:	Do not induce vomiting. If conscious, give several glasses of water. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms develop.
Notes to Physician:	Treat symptomatically.
Most important symptoms/effects, both acute and delayed:	No acute or delayed symptoms or effects occur when handling this product.

# 5. FIRE AND IGNITION INFORMATION

Burn Rate:	Not determined.
Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Special Protective Actions for Fire-Fighters:	Dangerous fire hazard when exposed to heat and flame. In the event of fire, wear self-contained breathing apparatus. Vapor may cause flash fire. Water spray may be used to keep fire-exposed containers cool and minimize risk of rupture.

Unusual Fire/Explosion Hazard:	Flammable. Above flash point, vapor-air mixtures may be a fire and explosion hazard. Vapors can flow along surfaces to distant ignition source and flash back. Sealed containers may rupture when heated. This material may produce a floating fire hazard. Sensitive to static discharge. May release irritating gases/fumes during thermal decomposition or burning.
Specific Hazards Arising from the Chemical:	Not Applicable.

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid inhalation vapors. Remove all sources of ignition. Ventilate area with explosion- proof equipment. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.	
Methods for Cleaning Up:	Clean up promptly by mopping and flush with water. Floors can be slippery when wet. Bulk spills (gallon) should be picked up and transferred to a properly labeled container or absorb with an inert material and placed in properly labeled container. Do not use combustible materials, such as sawdust. Use non-sparking tools and equipment.	
Environmental Precautions:	Do not flush to sewer. Local authorities should be advised if significant spillages cannot be contained.	
7. HANDLING AND STORAGE		

- **Handling:** Keep container closed. Avoid contact with skin and eyes. Do not breathe dust or aerosol. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Do not create a dust cloud by using a brush or compressed air.
- **Storage:** Keep in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **EXPOSURE LIMITS**

There are no exposure limits identified for this product. Exposure limits for individual ingredients are provided below:

#### Occupational Exposure Limits (OEL)

CAS No.	Components	ppm	mg/m³	Category	Origin
123-86-4	Butyl Acetate	150	710	TWA (8)	OSHA PEL
		150	710	TWA (10)	NIOSH REL
		200	950	15 min	NIOSH STEL
		1700			NIOSH IDLH
		150	710	TWA (8)	ACGIH TLV
141-78-6	Ethyl Acetate	400	1400	TWA (8)	OSHA PEL
		400	1400	TWA (10)	NIOSH REL
		400	1440	TWA (8)	ACGIH TLV
67-63-0	Isopropyl Alcohol	400	980	TWA (8)	OSHA PEL
		400	980	TWA (10)	NIOSH REL

1	I	1	I	I	
		500	1225	15 min	NIOSH STEL
		400	980	TWA (8)	ACGIH TLV
		500	1230	15 min	ACGIH STEL
14807-96-6	Talc		2	TWA (8 h)	OSHA PEL (Mineral Dusts)
			2	TWA (10 h)	NIOSH REL (Respirable Dust)
			1000		NIOSH IDLH
			2	TWA (8 h)	ACGIH TLV

PEL: Permissible Exposure LimitACGIH: AOEL: Occupational Exposure LimitOSHA: OcSTEL: Short Term Exposure LimitNIOSH: N	e Weighted Average merican Conference of Governmental Industrial Hygienists ccupational Safety and Health Administration ational Institute for Occupational Safety and Health ommended Exposure Limit
TLV: Threshold Limit Value REL: Rec	ommended Exposure Limit

#### ENGINEERING CONTROLS

Ensure adequate ventilation to minimize exposure. Provide appropriate exhaust ventilation where dust or aerosols can be generated.

PERSONAL PROTECTIVE EQUIF Respiratory protection:	<b>PMENT</b> None required under normal use. Adequate ventilation required in production areas.
Hand Protection:	None required under normal use. Wear suitable protective gloves in production areas.
Eye Protection:	None required under normal use. Avoid eye contact. Eye protection required in production areas. Wear suitable eye/face protection.
Skin and Body Protection:	Wear suitable protective clothing in production areas.
Other protective equipment:	None required under normal use. Skin protection required in production areas. Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colored liquid
Odor:	Typical odor
Odor Threshold:	Not Known
pH:	Not Known
Melting Point/Freezing Point:	Not Known
Boiling Point/ Boiling Range:	77°C (170°F) at 1013 hPa (Ethyl Acetate)
Flash Point: Flash Point Method:	-5 <sup>°</sup> C (23 <sup>°</sup> F). Closed Cup (ASTM D 6450-05)
% Volatile:	60 – 70 % by Volume
Evaporation Rate:	Not Known
Flammability Classification:	Flammable Liquid, Category 2

Explosive Limits:	Not Known			
Vapor Pressure:	Not Known			
Vapor Density:	Not Known			
Specific Gravity/Rel. Density:	0.98 – 1.020			
Solubility in Water:	Insoluble			
Partition Coeff. (n-octanol//water):	Not Known			
Auto-ignition temperature:	425°C (Butyl Acetate)			
Decomposition temperature:	Not Known			
Viscosity:	Not Known			
10. STABILITY AND REACTIVITY				
Reactivity: No dangerous reaction known under conditions of normal use.				
Stability:	Stable under normal temperatures and pressures.			
Conditions to Avoid:	Keep away from strong oxidizers, heat, sparks, open flame and sources of ignition.			
Incompatible With:	Strong oxidizing agents.			
Hazardous Decomposition Products:	Oxides of carbon.			
Hazardous Polymerization:	Hazardous polymerization does not occur.			

# 11. TOXICOLOGICAL INFORMATION

This formula was reviewed by the Global Product Safety and Regulatory Department of Revlon and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions.

Eye Irritation:	Eye irritant
Skin Corrosion/Irritation:	Not a skin irritant based on product testing
Respiratory or Skin Sensitization:	Not a skin sensitizer based on product testing
Acute toxicity – Oral:	Moderately toxic by ingestion
Germ Cell Mutagenicity:	Does not contain any ingredients known to be mutagenic according to OSHA
Carcinogenicity:	Does not contain any ingredients known to be carcinogenic according to OSHA, NTP, and IARC
Reproductive toxicity:	Not expected to cause reproductive toxicity
STOT – Single Exposure:	May cause drowsiness and dizziness
STOT – Repeat Exposure:	Not expected to cause organ toxicity
Aspiration Hazard:	Not an aspiration hazard

# **12. ECOLOGICAL INFORMATION**

This product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Global Product Safety and Regulatory Department of Revlon and determined to have an acceptable environmental profile.

Aquatic Toxicity:	Not expected to cause aquatic toxicity
Persistence and Degradability:	Not Available
Bioaccumulative Potential:	Not Available
Mobility in Soil:	Not Available
Biological Oxygen Demand (BOD):	26.6 - 57.1% after 5 days (Ethyl Acetate)
Other Adverse Effects:	Not expected to cause adverse effects

# **13. DISPOSAL CONSIDERATIONS**

Disposal: Consult applicable Local and State Regulations for disposal of hazardous liquids. Do not dispose down sewer systems.

#### RCRA Classification (40 CFR 261): RCRA Class D001.

# **14. TRANSPORT INFORMATION**

#### FOR NON-BULK (FINISHED GOODS/RETAIL) SHIPMENT

Ground (DOT):. Limited Quantity. Vessel (IMDG): UN 1263, Paint, 3, II, Ltd Qty Air (IATA): Consumer Commodity, 9, ID8000

#### FOR OTHER SHIPMENT

DOT (Department of Transportation):			
UN Number:	1263		
UN Proper Shipping Name:	Paint		
UN Hazard Class:	3		
UN Packing Group:	11		

IMDG (International Maritime Organization's Dangerous Goods Code): Use UN classification listed above.

#### IATA (International Air Transport Association):

Use UN classification listed above.

# **15. REGULATORY INFORMATION**

#### **International Inventories**

TSCA (Toxic Substances Control Act)
DSL (Domestic Substance List)

The product is exempt The following products are listed: Ethyl Acetate, Butyl Acetate, Nitrocellulose, Isopropyl Alcohol, Talc

## **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product does not contain any chemicals that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

#### U.S. State Regulations

#### **California Proposition 65**

This product does not contain any chemicals that are classified under Proposition 65.

## U.S. State Right-To-Know Regulations

Ingredient	CAS #:	TSCA	IL	MA	MN	NJ	PA	RI
		8(b)	RTK	RTK	RTK	RTK	RTK	RTK
n-Butyl Acetate	123-86-4	Yes	Yes	Yes		Yes	Yes	Yes
Ethyl Acetate	141-78-6	Yes	Yes	Yes		Yes	Yes	Yes
Nitrocellulose	9004-70-0	Yes	Yes	Yes		Yes	Yes	Yes
Isopropyl Alcohol	67-63-0	Yes	Yes	Yes		Yes	Yes	Yes
Talc	14807-96-6	Yes		Yes	Yes	Yes	Yes	Yes

#### <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

# **16. OTHER INFORMATION**

Last Revision:New.Prepared by:Revion Research Center

#### Manufacture Supplemental Notes:

Read all warnings and directions on packaging carefully before use.

#### **Additional MSDS Information:**

For external use only.

#### **Disclaimer:**

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Revlon, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

#### Comments:

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.