



# SAFETY DATA SHEET

Hands. Feet. Beauty.

Issuing Date No data available

Revision Date 10-Mar-2017

Revision Number 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

**Product Name** Creative Play Value Gel- Soak Off Base Coat

**Bulk Number** 468417

**Brand** CND

### Other means of identification

**Physical state** Liquid

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** No information available

**Restrictions on use** This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed.

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Supplier Name** Revlon

**Supplier Address** 2121 Route 27, Edison, NJ 08818

**Supplier Phone Number** (732) 287-1400

**Supplier Information** Revlon Research Center 2121 Route 27 Edison, NJ 08818 Telephone #: (732) 287-1400

**Distributor Information** CND, 9560 Towne Centre Drive, Suite 200 San Diego, CA 92121, 858-766-9500

### Emergency telephone number

**Chemical Emergency Phone Number** 703-527-3887

**Company Emergency Phone Number** Chemtrec 1-800-424-9300

**Emergency Telephone Number** Medical Emergencies: 303-739-1110

**Emergency Telephone Number** Medical Emergencies: 303-739-1110 CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

## 2. HAZARDS IDENTIFICATION




**Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Dermal	Category 2
Acute toxicity - Inhalation (Vapors)	Category 3
Serious eye damage/eye irritation	Category 2A
Flammable Liquids	Category 3

**GHS Label elements, including precautionary statements**

**Emergency Overview**

<b>Signal word</b>	<b>Danger</b>	
<b>Hazard statements</b> Fatal in contact with skin Toxic if inhaled Causes serious eye irritation Flammable liquid and vapor		
		
The product contains no substances which at their given concentration, are considered to be hazardous to health.		
<b>Appearance</b> Colorless	<b>Physical state</b> Liquid	<b>Odor</b> Characteristic

**Precautionary Statements - Prevention**

- Do not get in eyes, on skin, or on clothing
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat/sparks/open flames/hot surfaces. - No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ ventilating/ lighting/ equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool
- Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Specific treatment (see .? on this label)

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed



**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other information**

Harmful to aquatic life with long lasting effects  
Harmful to aquatic life

**Interactions with Other Chemicals**

No information available.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%	Trade Secret
Di-HEMA Trimethylhexyl Dicarbamate	Proprietary	<60	-
Butyl acetate	123-86-4	5.51	-
Propyl acetate	109-60-4	2.8	-

\*The exact percentage (concentration) of composition has been withheld as a trade secret

**4. FIRST AID MEASURES**

**First aid measures**

- Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
- Skin contact** Wash skin with soap and water.
- Inhalation** Remove to fresh air.
- Ingestion** Rinse mouth immediately and drink plenty of water.

**Most important symptoms and effects, both acute and delayed**

**Most Important Symptoms and Effects** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.



## 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **Unsuitable extinguishing media**

CAUTION: Use of water spray when fighting fire may be inefficient.

### **Specific hazards arising from the chemical**

No information available.

### **Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

### **Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

#### **Personal precautions**

Use personal protective equipment as required. Ensure adequate ventilation. Take precautionary measures against static discharges. See section 8 for more information. Avoid breathing vapors or mists. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Remove all sources of ignition. Do not breathe vapor or mist.

#### **Environmental precautions**

#### **Environmental precautions**

Local authorities should be advised if significant spillages cannot be contained. Do not flush into surface water or sanitary sewer system.

### **Methods and material for containment and cleaning up**

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

#### **Methods for cleaning up**

Prevent product from entering drains. Take precautionary measures against static discharges. Keep in suitable, closed containers for disposal. Take up with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapor or mist. Ensure adequate ventilation. Remove all sources of ignition. Avoid contact with eyes. Refer to Section 8.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep in properly labeled containers.

**Incompatible Products** Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Butyl acetate 123-86-4	STEL: 150 ppm TWA: 50 ppm	TWA: 150 ppm TWA: 710 mg/m <sup>3</sup> (vacated) TWA: 150 ppm (vacated) TWA: 710 mg/m <sup>3</sup> (vacated) STEL: 200 ppm (vacated) STEL: 950 mg/m <sup>3</sup>	IDLH: 1700 ppm TWA: 150 ppm TWA: 710 mg/m <sup>3</sup> STEL: 200 ppm STEL: 950 mg/m <sup>3</sup>
Propyl acetate 109-60-4	STEL: 250 ppm TWA: 200 ppm	TWA: 200 ppm TWA: 840 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 840 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 1050 mg/m <sup>3</sup>	IDLH: 1700 ppm TWA: 200 ppm TWA: 840 mg/m <sup>3</sup> STEL: 250 ppm STEL: 1050 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering Measures** Ventilation systems Ensure that eyewash stations and safety showers are close to the workstation location

### Individual protection measures, such as personal protective equipment

**Eye/face protection** No special protective equipment required.

**Skin and body protection** None under normal use conditions. None required for consumer use.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Ensure adequate ventilation.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

<b>Physical state</b>	Liquid	<b>Odor</b>	Characteristic
<b>Appearance</b>	Colorless	<b>Odor Threshold</b>	No information available
<b>Color</b>	Colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
<b>pH</b>	No data available	None known	
<b>Melting / freezing point</b>	No data available	None known	
<b>Boiling point / boiling range</b>	No data available	None known	
<b>Flash Point</b>	37 C / 99 F	CC (closed cup)	
<b>Evaporation Rate</b>	No data available	None known	
<b>Flammability (solid, gas)</b>	No data available	None known	
<b>Flammability Limit in Air</b>			
<b>Upper flammability limit</b>	No data available		
<b>Lower flammability limit</b>	No data available		
<b>Vapor pressure</b>	No data available	None known	
<b>Vapor density</b>	No data available	None known	
<b>Specific Gravity</b>	1.09		
<b>Water Solubility</b>	No data available	None known	
<b>Partition coefficient: n-octanol/water</b>	No data available	None known	
<b>Autoignition temperature</b>	No data available	None known	

### Other Information

<b>VOC Content (%)</b>	No data available
<b>Particle Size</b>	No data available
<b>Particle Size Distribution</b>	

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

None known based on information supplied.

### Incompatible materials

Strong oxidizing agents.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure



<b>Product Information</b>	Specific test data for the substance or mixture is not available.
<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Butyl acetate 123-86-4	= 10768 mg/kg ( Rat )	> 17600 mg/kg ( Rabbit )	= 390 ppm ( Rat ) 4 h
Propyl acetate 109-60-4	= 8700 mg/kg ( Rat )	> 17.756 mg/kg ( Rabbit )	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Mutagenic Effects** No information available.

**Carcinogenicity** Contains no ingredient listed as a carcinogen.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Target organ effects** Respiratory system. Eyes. Skin. Central nervous system (CNS).

**Aspiration Hazard** No information available.

**Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

- ATEmix (oral)**  
10,054.00 mg/kg
- ATEmix (dermal)**  
53.00 mg/kg
- ATEmix (inhalation-vapor)**  
2.82 ATEmix

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Butyl acetate 123-86-4	72h EC50: = 674.7 mg/L (Desmodesmus subspicatus)	96h LC50: = 62 mg/L (Leuciscus idus) 96h LC50: 17 - 19 mg/L (Pimephales promelas) 96h LC50: = 100 mg/L (Lepomis macrochirus)		24h EC50: = 72.8 mg/L
Propyl acetate 109-60-4		96h LC50: 56 - 64 mg/L (Pimephales promelas)		24h EC50: = 318 mg/L

**Persistence and Degradability**

No information available.

**Bioaccumulation**

For .? :

Chemical name	Log Pow
Butyl acetate 123-86-4	1.81

**Other adverse effects**

No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods**

**Disposal methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging**

Do not reuse empty containers.

**US EPA Waste Number**

D001 U112

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Butyl acetate 123-86-4	Toxic
Propyl acetate 109-60-4	Toxic Ignitable





**14. TRANSPORT INFORMATION**

**DOT** Not regulated

**Bulk Proper Shipping Name** Not Regulated by DOT if shipped in containers less than 119 gallons. Regulated as NA1993, Combustible liquid, n.o.s. (Silicones mixture), PG III, if shipped in containers greater than 119 gallons.

**IATA** Not regulated

**Bulk Proper Shipping Name** Not Regulated by DOT if shipped in containers less than 119 gallons. Regulated as NA1993, Combustible liquid, n.o.s. (Silicones mixture), PG III, if shipped in containers greater than 119 gallons.

**IMDG/IMO** Not regulated

**Bulk Proper Shipping Name** Not Regulated by DOT if shipped in containers less than 119 gallons. Regulated as NA1993, Combustible liquid, n.o.s. (Silicones mixture), PG III, if shipped in containers greater than 119 gallons.

**15. REGULATORY INFORMATION**

**International Inventories**

TSCA Complies  
DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	No
<b>Fire hazard</b>	Yes
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Butyl acetate 123-86-4	5000 lb			X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)



Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Butyl acetate 123-86-4	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Butyl acetate 123-86-4	X	X	X	X	

**International Regulations**

Component	Carcinogen Status	Exposure Limits
Butyl acetate 123-86-4 ( 5.51 )		Mexico: TWA 150 ppm Mexico: TWA 710 mg/m <sup>3</sup> Mexico: STEL 200 ppm Mexico: STEL 950 mg/m <sup>3</sup>
Propyl acetate 109-60-4 ( 2.8 )		Mexico: TWA 200 ppm Mexico: TWA 840 mg/m <sup>3</sup> Mexico: STEL 250 ppm Mexico: STEL 1050 mg/m <sup>3</sup>

**Canada**

**WHMIS Hazard Class**

Not determined



## 16. OTHER INFORMATION

<b>NFPA</b>	<b>Health hazards</b> 3	<b>Flammability</b> 3	<b>Instability</b> 0	<b>Physical and Chemical Hazards - Personal Protection</b> X
<b>HMIS</b>	<b>Health hazards</b> 3	<b>Flammability</b> 3	<b>Physical Hazard</b> 0	

**Prepared By** Revlon Research Center, Edison, NJ  
**Revision Date** 10-Mar-2017  
**Revision Note** No information available

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe. Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation. Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.

**End of Safety Data Sheet**